

Tanshinone IIA, AP-1 transcription factor inhibitor

Catalog	Unit
TBI2186-5MG	5 mg
TBI2186-25MG	25 mg

Product Details


Formal Name: 1,6,6-Trimethyl-6,7,8,9-tetrahydrophenanthro[1,2-b]furan-10.11-dione

Molecular Formula: C₁₉H₁₈O₃ **Formula Weight:** 294.35 **CAS Number:** 568-72-9

Purity: >98% **Formulation:** powder

Solubility: Soluble in DMSO (up to 25 mg/ml) or in Ethanol (up to 5 mg/ml).

Storage: -20° C Stability: ≥ 1 year.



Applications

AP-1 transcription factor inhibitor

Functions

Diterpenoid naphthoquinone found in Salvia sp. and isolated as an active component of the traditional Chinese medicine Tanshen. Tanshinone IIA displays anti-inflammatory activity and induces apoptosis in a variety of cell lines. Also inhibits AP-1 activity by suppressing jun-fos-DNA complex formation (IC50 = $0.22 \mu M$).

Application Procedures

First dissolved in DMSO (up to 25 mg/ml) or in Ethanol (up to 5 mg/ml), then diluted to aqueous buffer. Solutions in DMSO or ethanol may be stored at -20° for up to 3 months.

For research use only.